

# ARCORA® GROUP



**TAKE OFF...  
WITH OUR**

**USER-OPTIMIZED  
INNOVATIVE PRODUCTS!**

# FOREWORD

## THE INNOVATION WORLD OF ARCORA® GROUP

We are proud to present you ARCORA® products with our EASY CLEAN catalogue, which stand for fatigue-free and user-friendly cleaning and are intended to make the daily work of cleaning personnel easier. Products that convince with their functionality and optical design as well as with their handling in practice. ARCORA® GROUP focuses more and more on production and development of innovative products, which are constantly developed thanks to the know-how and close cooperation with our customers and prestigious universities.

The result is a continuous development of amazing innovations, environmentally friendly products with high efficiency and quality at fair prices, for your benefit as well as for the benefit of our environment.

Functionality, customer benefits as well as saving time and raw materials are important aspects of development. The use of EASY CLEAN products is safe, uncomplicated and leads to improved ergonomics during daily cleaning.


### The products with EASY CLEAN logo are particularly well received by employees.

Discover our EASY CLEAN products, which convince with an uncomplicated application in practice, a good price-performance ratio and an optimal cleaning performance:

- **ARCORA® PU-PAD** THE SOLUTION FOR YOUR MAINTENANCE CLEANING
- **ELITE 29 & ELITE 29 MATT** DESINFECTION AND ALCOHOL RESISTANT FLOOR COATING
- **TENAS FLOOR** ENVIRONMENTALLY FRIENDLY CLEANER BASED ON ORGANIC POLYMERS
- **TENAS 4IN1** CARPET CLEANER WITH ENCAPSULATION SYSTEM
- **FUTURE PU-MOP** THE MOP WITH UNIQUE GLIDING ABILITY
- **COPPER SYSTEMS** SCRATCH-FREE APPLICATION
- **LOGLIFE SPONGE** THE NEW SPONGE GENERATION
- **ULTRA MOBILE SYSTEM 5IN1** FOR BUCKETLESS CLEANING
- **ORBITAL HEAVY OR17** POWERFUL ORBITAL MACHINE









**EXCENTER METHOD**

**ROUNDPAD METHOD**



**ORBITAL METHOD**

**I-MOP METHOD**



**SPONGE METHOD  
&  
HANDPAD METHOD**



You can see which experiences renowned machine manufacturers have made with the PU-PAD in our ARCORA® PU-PAD film on our homepage: [www.pu-pad.eu](http://www.pu-pad.eu) | [www.arcora-group.com](http://www.arcora-group.com)

# PU-PAD-SYSTEMS

## THE NEW PAD-GENERATION

### ARCORA® PU-PAD

#### THE IDEAL SOLUTION FOR YOUR MAINTENANCE CLEANING

The problem on the international market is the lack of training and language for cleaning staff. Therefore, it is important to find a solution to avoid possible mistakes during maintenance cleaning. The solution is **ARCORA® PU-PAD! Just one pad in one colour!**

#### Why is the solution called ARCORA® PU-PAD?

- one PU-PAD creates an area output of up to **50.000 m²**.
  - Fewer pads have to be used or replaced.
  - **Reduced set-up times** for machines
- universally applicable on **all water-resistant elastic and hard floor coverings** as well as on safety floors up to R13.
- thanks to the composition of polyester, polyether and polyurethane, our PU-PAD is **particularly robust and durable**.
- suitable for **all single-disc, scrubber-dryers** and for **orbital- und eccentric machines** with special pad backing.
- significantly **higher water** absorption than conventional nylon pads.
- **100% environmentally friendly** through the exclusive use of recycled products.
- due to its high density per m³, it is up to **10 times more** durable and thus significantly more efficient than a conventional pad.



- reduction of failure sources: Only one pad for all water-resistant floor coverings!
- there is no need to train the employees on different types of surfaces, no long instructions are necessary.
- conversion times can be reduced because the pad does not have to be replaced depending on the type of soil.
- due to the high area performance, procurement costs can be reduced by up to 60% compared to conventional superpads in maintenance cleaning.
- thanks to its high water absorption and material components, less water and cleaning chemicals are required.
  - environmentally friendly
- replaces most commercially available pads in maintenance cleaning.
- tests carried out by various well-known machine manufacturers have confirmed that the PU-PAD contributes to machine protection. Motors are much less strained than, for example, with the ARCORA® melamine pad.
  - extends service life and protects the machines



# PU-PAD-SYSTEME

## THE NEW PAD-GENERATION

### ARCORA® PU-PAD APPLICATION



ARCORA® PU-PAD is used for the maintenance cleaning of all hard floor coverings such as tiles, stone floors, porcelain stoneware, concrete floors up to elastic floors such as vinyl floors, PVC and linoleum. The PU-PAD is also suitable for cleaning safety floors up to R13. It is ideal for use in public facilities, airports, shopping centres, hotels, restaurants and office buildings. Use the PU pad side to clean all hard floors and elastic floors.


The pad can be turned around and the back of the pad can be used for stubborn soiling.

The ARCORA® PU-HANDPAD and ARCORA® PU-MINIHANDPAD are ideal for cleaning corners and smaller surfaces.

**The ARCORA® PU-PAD is also particularly suitable for use with orbital machines and eccentric machines. In order for the PU-PAD to withstand vibrations and pressure, the pads are equipped with a special pad back.**



### ARCORA® PU-PAD VERSATILE APPLICABLE



# PU-PAD-SYSTEMS


## THE NEW PAD-GENERATION

### FACTS AND FIGURES

In the following calculation, ARCORA® PU-PAD is compared with the melamine pad and a conventional pad based on end customer prices.

	price per piece	area output
17" PU-PAD	23,76 €	~ 50.000 m <sup>2</sup>
17" Melamine-Pad	27,18 €	~ 10.000 m <sup>2</sup>
17" Superpad Red	6,00 €	~ 4.500 m <sup>2</sup>

	costs per 1.000 m <sup>2</sup>	number of pads required	costs per 50.000 m <sup>2</sup>
17" PU-PAD	0,4752 €	1	23,76 €
17" Melamine-Pad	2,718 €	5	135,90 €
17" Superpad Red	1,333 €	~11	66,66 €





# PU-PAD-SYSTEMS

## THE NEW PAD-GENERATION

The many positive features of the PU PADS convinced us to develop new ideas for innovative PU PAD systems.

### ARCORA® PU-SPONGE

The PU-SPONGE is ideal for use in the kitchen area. For damp and wet cleaning of insensitive surfaces such as pots, pans, cast iron pans, roasting trays, metal containers and even tiles. Particularly suitable for use in HoReCa facilities such as hotels, restaurants, pubs, catering and party services, office buildings, airports, shopping centres and clinics.

- very robust
- high water absorption
- effortlessly removes stubborn dirt

Use the pad side to remove stubborn dirt and the sponge wipe side to absorb water and dirt. Available in 4 different colours.



### PU-PAD-WKS SYSTEM (PU-PAD WITH WATER CONTROL SYSTEM)

Another development is the PU-PAD for water-sensitive floors. A grey PU-PAD which works with a foam system and does not absorb water. → Lotus effect Ideal for use with scrubbing machines.

- 80 % Water saving
- 60 % Chemical savings
- very high area output
- conversion costs are reduced 5-times
- foam technology helps to bind dirt better  
→ Encapsulation System
- gentle on the ground
- friction on the floor is improved
- suitable for water sensitive areas

## WORLD PREMIERE!

Soon **NEW**  
in our assortment!



In combination with **TENAS FLOOR**, the **PU-PAD-WKS SYSTEM** achieves optimum cleaning results when used with scrubbing machines and single disc machines.

The friction between the pad and the floor creates a special foam that breaks, binds, encapsulates and absorbs dirt due to the encapsulation system. The encapsulated dirt in the foam is absorbed and immediately disintegrates in the tank, so that no defoamer is necessary.



**Together we are strong!**

- MACHINERY TECHNOLOGY
- PU-PAD-WKS SYSTEM
- TENAS FLOOR CLEANER



# PU-PAD-SYSTEMS

## THE NEW PAD-GENERATION

### AVAILABLE SIZES

#### PU-ROUNDPAD

size	article no.:	unit
8"= 203 mm	PU203BP	5 piece
9"= 228 mm	PU228BP	5 piece
10"= 254 mm	PU254-IM-XXL	5 piece
11"= 280 mm	PU280BP	5 piece
12"= 305 mm	PU305BP	5 piece
13"= 330 mm	PU330BP	5 piece
14"= 356 mm	PU356BP	5 piece
15"= 381 mm	PU381BP	5 piece
16"= 406 mm	PU406BP	5 piece
17"= 432 mm	PU432BP	5 piece
18"= 457 mm	PU457BP	5 piece
19"= 483 mm	PU483BP	5 piece
20"= 508 mm	PU508BP	5 piece
21"= 533 mm	PU533BP	5 piece
21,7"= 550 mm	PU550BP	5 piece

#### PU-PAD ORBITAL

17"= 432 mm	PU432ORB	5 piece
-------------	----------	---------

#### PU-PAD EXCENTER

20"= 360x510 mm	PU3651EXC	5 piece
22"= 350x550 mm	PU3555EXC	5 piece
24"= 360x610 mm	PU3661EXC	5 piece
28"= 360x712 mm	PU36712EXC	5 piece
32"= 360x820 mm	PU3682EXC	5 piece

#### PU-HANDPAD

250x120x25 mm	PU1225BP	10 piece
---------------	----------	----------

#### PU-MINI-HANDPAD

80x120x25 mm	PU0812BP	30 piece
--------------	----------	----------

#### PU-SPONGE

150x70x45 mm	BLUE	●	PU15070BL	28 piece
	GREEN	●	PU15070GR	28 piece
	YELLOW	●	PU15070GE	28 piece
	PINK	●	PU15070RO	28 piece





**ARCORA®**

easy clean systems




**ELITE29 & ELITE29 MATT  
TENAS FLOOR  
TENAS 4IN1**

**FUTURE PU-MOP**



**COPPER SYSTEMS  
LONGLIFE SPONGE**



**ULTRA MOBILE  
SYSTEM 5IN1**



**ORBITAL HEAVY OR17**

**WORLD PREMIERE!**

# CLEANING AND CARE PRODUCTS

## FLOOR COATING SYSTEMS WITHOUT DEEP CLEANING

In ARCORA® GROUP we attach great importance to sustainability and environmental protection. With our unique coating systems we set a sign for the future on the basis of a good example. By using our coatings you receive a complete solution which makes the use of environmentally aggressive deep cleaners superfluous for several years. Restore dull floors or partially damaged areas over time and achieve an absolutely homogeneous result. Reduce your personnel and material costs and at the same time contribute to an intact environment.

### ELITE 29 & ELITE 29 MATT

pH 8,5



DISINFECTANT- AND ALCOHOL-RESISTANT FLOOR COATING

Resistant to  
hand disinfectants



HIGH-GLOSS

SATIN-EFFECT

High-quality, **disinfectant- and alcohol-resistant** floor coating for protecting floor coverings in areas where surface and **hand disinfectants** are frequently used.

- long-lasting, well restorable result
- post-coating possible without having to carry out a deep cleaning beforehand



UL classified non-slip

containers	article no.	unit
<b>ELITE 29</b>		
5 l canister	01152-05	2x5 l
<b>ELITE 29 MATT</b>		
5 l canister	01156-05	2x5 l

The optimum floor coating for sensitive areas in hospitals, nursing homes, nurseries and sanatoriums. The special floor coating with a very high solid content of 29 % ensures a durable and visually attractive end result due to its special composition and restorability. The coating is especially unique because of its **resistance to alcohol, disinfectants and especially hand disinfectants**. The special properties of this coating and its high cross-linkability make it ideal for recoating without the need for a thorough cleaning. This means that another coat of ELITE 29 / ELITE 29 MATT can simply be applied on the floor without having to remove the complete coating. A simple intermediate cleaning and the application of new layers such as ELITE 29 / ELITE 29 MATT will achieve an optimal result.


In this way the deep cleaning can be postponed and only has to be carried out approx. every 3 years.

This saves you time and money.

Both ELITE 29 and ELITE 29 MATT meet the requirements of

**DIN 18032** and are **non-slip**.

While ELITE 29 provides a high gloss, a treatment with ELITE 29 MATT leads to a long-lasting satin gloss.






# CLEANING AND CARE PRODUCTS

## FLOOR COATING SYSTEMS WITHOUT DEEP CLEANING

### ELITE 29 & ELITE 29 MATT APPLICATION

**ELITE 29** is used on PVC, polyolefin, linoleum, absorbent natural and artificial stone, asphalt, etc. For coverings with PU or PE wear layers, an adhesion test must be carried out before processing.



**Floor preparation:** Thoroughly remove old sealants, waxes and coatings. The best results are achieved with a single disc machine with a deep cleaning pad. Remove residues from edges and corners. Rinse thoroughly so that no deep cleaner or caustic residue remains on the floor.

**Coating application:** The floor must be completely dry before applying the coating. Apply the coating in thin and even layers with a clean professional wax cover or Floor-Finish coating mop. Under normal conditions, it takes only 30 minutes to dry between layers. In order to achieve an optimum result, a minimum of 2 coats should be applied within 24 hours, with a maximum of 3 coats **ELITE 29 / ELITE 29 MATT** can be applied.

**Daily care:** Wipe the floor as required with the neutral maintenance cleaner **GLOSS SYSTEM1**.

**Restoration:** Use **CITRUS 2IN1** at a ratio of 1:64 with water (16 ml/1 litre water) and a mop or scrubbing machine to remove heel and abrasion marks. Allow the floor to dry before using a UHS machine with an appropriate pad for polishing.

**Post-coating:** If no satin effect / high gloss can be achieved by refreshing with **CITRUS 2IN1**, **SURF** 1:16 diluted should be used for deep cleaning. Treat the coating surface with a red or blue pad, absorb the liquid, wipe the floor with a suitable mop cover, allow to dry and then apply 1-2 coats of **ELITE 29 / ELITE 29 MATT**.

#### SUBSTANCES

< 5 % non-ionic surfactants, < 5 % phosphate, acrylates, polymers, waxes, methyl chloroisothiazolinones, methyl isothiazolinones.



# CLEANING AND CARE PRODUCTS

## TENAS ENCAPSULATION SYSTEMS

### TENAS FLOOR

pH 11



ENVIRONMENTALLY FRIENDLY CLEANER WITH ENCAPSULATION SYSTEM

The special cleaner TENAS FLOOR with **environmentally friendly polymers** can be used as a deep-, intensive-, surface- and multi-purpose cleaner. The product is free of **hazardous substances** and **100% environmentally friendly**. It quickly and reliably removes all types of grease, oil, soot and other dirt from all types of surfaces. The **Encapsulation System** ensures that the dirt is broken through, bound, encapsulated and absorbed. A cleaner for industry, trade, food industry, gastronomy and agriculture that is environmentally friendly.

Environmentally friendly cleaner on bio-polymer basis



Removes effortlessly:

- fats and oils
- soot and carbons
- dirt and abrasion



- 100 % environmentally friendly
- gentle on materials
- dermatologically harmless
- pollutant- and waste-free

- ADR-free
- VOC-free
- GMO-free
- EDTA-free

container	article no.	unit
1 l bottle	01004	12x1 l
1 l dosage bottle	01017	12x1 l
5 l canister	01005	1x5 l
10 l canister	01168	1x10 l

Removes stubborn stains such as mineral oil, grease, protein oil etc. on any surface even on porcelain stoneware floors and safety floors up to R13.

TENAS FLOOR is DEKRA certified and is approved for use in the food industry. It can be used both manually and mechanically. Cleaning machines are protected by using TENAS FLOOR and a longer service life of the machines is promoted because the product is absolutely corrosion-free. TENAS FLOOR is safe for humans and nature, so it can be used without gloves.

A further advantage is that no defoamer is necessary when using the product, as the foam disintegrates immediately.

A versatile cleaner, which can even be used for cleaning roofs, greenhouses, winter gardens, truck tarpaulins or for cleaning vehicles, both inside and outside.

Due to its wide range of applications, it saves time, money and space.

For ARCORA®, sustainability is an important part of the corporate culture. Every day we try to live up to our responsibility towards people and the environment and to optimize our processes and products in order to provide our customers with solutions that enable them to clean in an environmentally friendly, efficient and effective way. TENAS FLOOR is one of many ARCORA® GROUP products whose use does not burden the environment.





# CLEANING AND CARE PRODUCTS

## TENAS ENCAPSULATION SYSTEMS

### TENAS FLOOR APPLICATION

Apply diluted on the surface to clean, work in and then rinse with water. Suitable for manual cleaning as well as for all cleaning machines, even under high pressure (up to 360 bar) and high temperatures (up to 95° C). Application promotes the degradation of hydrocarbons (fat and oil) in a natural way. Before use, test for compatibility in an inconspicuous place.

**DO NOT** mix with other cleaners, otherwise the effect will wear off.

#### SUBSTANCES

Surface-active biopolymer based on renewable raw materials, orange and lemon oil



depending on soiling degree 1:10-1:100



depending on soiling degree 1:40-1:100



depending on soiling degree 1:10-1:100



depending on soiling degree 1:50-1:100



depending on soiling degree 1:40-1:100



depending on soiling degree 1:50-1:100



depending on soiling degree 1:10-1:100



depending on soiling degree 1:5-1:20



depending on soiling degree 1:10-1:50



depending on soiling degree 1:10-1:100

**TENAS FLOOR in combination with ARCORA® PU-PAD and various cleaning machine technologies such as ORBITAL, EXCENTER and i-MOP lead to optimal cleaning results.**

**Together we are strong!**

- MACHINERY TECHNOLOGY
- PU-PAD SYSTEM
- TENAS FLOOR CLEANER

# CLEANING AND CARE PRODUCTS

## TENAS ENCAPSULATION SYSTEMS

### TENAS 4IN1

pH 6,5-7,5



CARPET CLEANER WITH ENCAPSULATION SYSTEM

**Takes over  
the tasks of  
five classic  
carpet cleaners**



The carpet cleaner for all colour- and water-resistant textile coverings, carpets and upholstered furniture takes over the tasks of **five** classic carpet cleaners, i.e.

**only one product for:**

- stain removal
- pre-cleaning
- extraction cleaning
- cleaning using the Bonnet process
- dry cleaning system with the ANIKO 350 DUO BRUSH

With the **Encapsulation System** the dirt is broken through, bound, encapsulated and absorbed.

**The polymers contained prevent repollution and greying.**

The carpet cleaner shortens the drying time, protects the carpet fibers and leaves a pleasant scent. Ideal for use in schools, hotels and administrative buildings.

container	article-no.	unit
1 l bottle	01008	12x1 l
5 l container	01028-05	1x5 l
hand brush	01254	1

### APPLICATION TENAS 4IN1

#### As stain remover:

Shampooing brush with foam, bristles and dosing handle for cleaning chemicals for targeted stain removal on upholstery and carpets. For quick and easy stain removal, especially in corners and hard-to-reach areas.

1. Unscrew the TENAS hand brush.
2. fill up the cleaning chemicals to the first mark. Screw the brush head onto the dosing handle.
3. dilute with water to the last mark.
4. Dose the chemicals by applying pressure to the dosing handle. Rub the brush onto the stain to remove and rub from the outside to the inside to achieve an optimum result.



#### As a pre-cleaner:

1. Before cleaning, remove coarse dirt by vacuuming.
2. Dilute TENAS 4IN1 1:12 with water and spray the running streets or the entire surface to be cleaned.
3. Then clean the carpet with a suitable cleaning system.

#### As an extraction cleaner and in the Bonnet process:

1. Before cleaning, remove coarse dirt by vacuuming.
2. For pre-cleaning, dilute TENAS 4IN1 1:12 with water and then spray the running streets.
3. Dilute 80-100 ml TENAS 4IN1 in 10 l water.
4. a) Treat the carpet with a spray extraction cleaner.  
b) Spray the Bonnetpad with a thinner and clean the surface with a single disc machine.

#### As a dry cleaning system with the ANIKO 350 DUO BRUSH:

1. Before cleaning, remove coarse dirt by vacuuming.
2. For intermediate cleaning, dilute TENAS 4IN1 1:12 with water, spray the surface which is to be cleaned and brush in with ANIKO 350 DUO BRUSH.
3. For deep cleaning: In addition, sprinkle the TENAS granulate onto heavily soiled areas, brush in and remove with the Renovator.

**Contents:** < 5 % mixture of acrylate copolymers and surfactants

# CLEANING TEXTILES

## MICROFIBER MOP WITH EASY GLIDER TECHNOLOGY

### FUTURE PU-MOP

80 % Super microfiber | 20 % Light running bristle



MICROFIBER MOP WITH EASY GLIDER TECHNOLOGY



- wipes the "8" almost by itself
- high employee acceptance
- guaranteed fatigue-free work
- so far unattainable high area performance of up to 40 m².
- ideal dirt pick-up & cleaning performance due to the interrupted weave
- PU-reinforced back → High durability



The **FUTURE PU-MOP** guarantees optimum cleaning results on all elastic floors and hard floor coverings without much effort. This smooth running sensation achieves a previously unattainable high area performance of up to 40 m². The special weaving technique **W-WEAVING EASY GLIDER TECHNOLOGY** enables fatigue-free working. With this new technology the wiping of an "8" is reinvented. In addition to its ideal gliding properties, the **FUTURE PU-MOP** convinces with optimum dirt absorption and cleaning performance due to the interrupted weave (plus-minus effect). The PU-reinforced back ensures a long service life. The improved ergonomics achieved by this wipe cover leads to a high level of **employee acceptance** and facilitates the daily work of the cleaning personnel.


size  weight	article-no.	unit
<b>WITHOUT COVERSHEET</b>		
40 cm ca. 93 g	FFC40TU	75
50 cm ca. 114 g	FFC50TU	50
<b>WITH COVER SHEET</b>		
40 cm ca. 114 g	FDBFC40TU	75
50 cm ca. 146 g	FDBFC50TU	50

#### FLATT PRESS MOP

40 cm ca. 85 g	FFPM40TU	75
-------------------	----------	----

### FUTURE PU-MOPS APPLICATION

Can be used both dry and wet on smooth, coated and uncoated floor coverings. Also ideal for preparation. Ideal for use on elastic and hard floors for maintenance cleaning. Especially suitable for use in the health sector, in building cleaning, clinics, senior and nursing homes, hotels, industrial laundries and public facilities.



### FUTURE PU-MOP



WIPES THE 8 ALMOST BY ITSELF



Guaranteed to  
achieve optimum  
cleaning results  
without great  
effort!



# CLEANING TEXTILES

## SCRATCH-FREE CLEANING SYSTEMS

### ARCORA® COPPER SYSTEMS




THE SOLUTION FOR REMOVING CEMENT FILM, LIME, ADHESIVE RESIDUES AND SILICONES

- **only water** and, if necessary, some chemicals are required for cleaning
- **scratch-free** application
- reusable several times, washable at 60° C
- reduction of working time and personnel costs
- antibacterial



Do not use fabric softener  
and bleaching agents  
Wash separately

Cement residue, graffiti, lime, adhesive residue, hairspray and silicones are removed without scratching. Copper has a Mohs hardness of 2.5 to 3 and is therefore a soft metal. Even stubborn dirt is gently removed by the fine copper threads. The copper products are ideal for cleaning pots, pans, sinks, faucets, enamels, glass, mirrors, stainless steel, ceramic hobs, etc. with care. The copper products are also excellent for removing rust from cutlery.



### COPPER SYSTEMS APPLICATION

ARCORA®copper systems are suitable for cleaning all kinds of surfaces. Particularly suitable for use in public facilities, hospitals, retirement and nursing homes, airports, shopping centres, hotels, restaurants and office buildings.

**IMPORTANT:** Always use enough water when cleaning with the copper products, because scratches are not caused when wet. Test in an inconspicuous place before using for the first time.

**NOT** suitable for use on painted metal parts and safety glass as well as Teflon or Teflon-like surfaces. We recommend a washing temperature of 60 °C and using a washing net.

Fabric softeners and bleaching agents should not be used.

#### COPPER SPONGE




#### COPPER CLOTH LARGE



#### COPPER CLOTH SMALL



#### COPPER CLOTH LOOSE




size  weight	article no.	unit
<b>COPPER SPONGE</b>		
13 x 9 x 2,8 cm ca. 22 g	01240	100 loose
<b>COPPER CLOTH LARGE</b>		
16 x 9 cm ca. 25 g	01238	100 loose
<b>COPPER CLOTH SMALL</b>		
10 x 14 cm ca. 9 g	01239	100 loose
<b>COPPER CLOTH LOOSE</b>		
25 x 25 cm ca. 34 g	01241	100 lose

# CLEANING TEXTILES

## THE NEW GENERATION CLEANING SPONGE

### LOGLIFE SPONGE

THE NEW SPONGE GENERATION



#### LOGLIFE SPONGE - the new generation cleaning sponge.

The cleaning sponge with 2 practical sides: The effective sponge wipe side with grip groove and the robust, long-lasting abrasive scouring fleece side, which removes even the most stubborn dirt and encrustations from insensitive surfaces. The patented fleece surface is 5 times longer durable than the ARPAD abrasive fleece side due to the laser embossing and the diamond-shaped compacted surface.

- universally applicable on insensitive surfaces
- optimum size for ergonomic support and fatigue-free working
- comfortable and secure hold due to ergonomic shape
- protects fingernails, due to the lateral profile of the LOGLIFE SPONGE
- excellent price-performance ratio

Abrasive scouring pads for removing stubborn soiling  
Sponge wiping side for water and dirt absorption




Sponge wiping side for water and dirt absorption

size  weight	article no.	unit
150x70x43 mm ca. 15 g	LLS15070GEG	10x10 = 100

### LOGLIFE SPONGE APPLICATION

For damp and wet cleaning of insensitive surfaces such as pots, pans, cast iron pans, roasting trays, metal containers and tiles. Particularly suitable for use in HoReCa facilities such as hotels, restaurants, pubs, catering and party services, office buildings, airports, shopping centres and clinics. Use the scouring fleece side to remove stubborn dirt and the sponge wipe side to absorb water and dirt.



# CLEANING SYSTEMS

## CLEANING SYSTEMS

### ULTRA MOBILE SYSTEM 5IN1

FOR BUCKETLESS CLEANING

A system for a fast, efficient and bucketless cleaning. The ULTRA MOBILE SYSTEM 5IN1 has a very low weight and is therefore easy to handle.

**A perfect cleaning system for 5 different applications:**

- floor cleaning
- disposable mop
- window cleaning
- joint cleaning
- adapter, universally applicable



**Easily remove the dosage bottle**



**With spraying system**



**Ergonomic operation**



**Easily fill the dosage bottle**

**complete set:**

- 1 x handle 1,42 m
- 1 x mop holder 37 cm
- 1 x ULTRA MOBILE RUNNER KLETT MICROFIBER MOP

article no.	unit
UMS40SET	1 Set



The **ULTRA MOBILE RUNNER KLETT Microfiber mop** for the ULTRA MOBILE SYSTEM 5IN1 with SOFT BRISTLE. Ideal for daily use.

size	article no.	unit
41 cm	UMRKM41	10x10 =100



The **ULTRA MOBILE STRONG KLETT Microfiber mop** for the ULTRA MOBILE SYSTEM 5IN1 with ABRASIVE BORSTE. Ideal for removing stubborn dirt due to bristle strips.

size	article no.	unit
41 cm	UMSKM41	10x10 =100



The **ULTRA MOBILE KLETT-PAD** is the underlay for the disposable mop. Due to the Velcro, the one-way mop adheres perfectly to the pad.

size	article no.	unit
41 cm	UMKP41	20




The **ULTRA MOBILE SINGLE-WAY MOP** made of microfiber can be used immediately. Ideal for daily cleaning and optimum removal of loose dirt.

size	article no.	unit
45 cm	UMEM45WE	10x50 =500



The **ULTRA MOBILE SUPPORT MOPHOLDER** 37 cm for ULTRA MOBILE SYSTEM 5IN1.

size	article no.	unit
37 cm	UMS40	20



The **ULTRA MOBILE ADAPTER** is ideal for use with the joint brush in combination with ULTRA MOBILE SYSTEM 5IN1 for cleaning joints.

article no.	unit
UMAFG	100

The **ULTRA MOBILE WINDOW CLEANER HOLDER** incl. ULTRA MOBILE KLETT MICROFASERTUCH is ideal for window cleaning. Can be used with or without ULTRA MOBILE SYSTEM 5IN1.

article no.	unit
UMWCH	12



The **ULTRA MOBILE KLETT MICROFIBER CLOTH** is a perfect cloth for window cleaning, because a quick and streak-free result can be achieved.

article no.	unit
UMKMT	10x20 =200



# CLEANING MACHINE

## ORBITAL TECHNOLOGY

### ORBITAL HEAVY OR17

#### ORBITAL MACHINE



The **ORBITAL HEAVY OR17** orbital machine convinces with its combination of eccentric movement and rotary movement. The oscillating head adapts to all surfaces and also allows working on uneven floors, as it ensures complete contact with the work surface.

The robust construction, the high empty weight of 71.5 kg and the user-friendliness characterise the professionalism of this machine. Easy handling guarantees fatigue-free working.

The special orbital technology significantly improves the mechanical cleaning power. This minimizes other factors and even makes them superfluous. Thus you protect the environment and save time and money.

Thanks to orbital technology, coatings can be easily removed without chemicals. For treatments such as polishing, crystallization, marble, cement, stone, parquet, clay tiles and stoneware, the orbital machine is the right choice.

The machine is suitable and also ideal for cleaning sensitive surfaces such as carpets.

**ORBITAL HEAVY OR17** with ARCORA® PU-PAD and TENAS FLOOR is particularly recommended for intermediate floor cleaning.

article no.	unit
OR17SET	1 Set

**Liquid tank, driving plate and blocking system are included in delivery.**

**An electric spraying system is available as an optional accessory.**



#### **ARCORA® TILTING SYSTEM:**

For maximum pressure on the floor.  
With lifted wheels, the **ORBITAL HEAVY OR17** enables best cleaning results even in narrow rooms and corners.




**Head locking system included in delivery!**

#### TECHNICAL DATA

max. working width	17"= 430 mm
voltage / frequency	220-240 V/50 Hz
power rating	1300 W
brush / pad pressure	48,2 g/cm <sup>2</sup>
underclearance height	285 mm
rotation	1500 U/min
noise level	< 54 dbA
tank	12 Liter
cable length	12 m
weight (without accessories)	71,5 kg
dimensions (LxBxH)	1200x730x450 mm

- 1 ORBITAL TECHNOLOGY
- 2 PU-PAD SYSTEMS
- 3 TENAS FLOOR CLEANER

***Together we are strong***



# STRONG PRODUCTS FOR HEAVY-DUTY USE!



## YOUR LOCAL DISTRIBUTOR



## HEADQUARTER

### **ARCORA® INTERNATIONAL GmbH**

Marsstrasse 9  
85609 Aschheim near Munich / Germany

Telephone: +49 (0)89/ 14 33 29 3 - 0  
Telefax: +49 (0)89/ 14 33 29 3 - 29

E-Mail: [info@arcora.de](mailto:info@arcora.de)  
Web: [www.arcora-group.com](http://www.arcora-group.com)

**ARCORA®**  
GERMANY

Visit us online at [www.arcora-group.com](http://www.arcora-group.com). On the **ARCORA®** you'll find the current product lines and their range of applications as well as a variety of useful information and a comprehensive range of services.

Subject to changes and errors