

Two diagonal stripes, one grey and one teal, running from the bottom-left towards the top-right of the page.

**ARCORA®**  
[www.arcora-group.com](http://www.arcora-group.com)

# CLEANING MACHINES

# Agenda

---

- Vacuum cleaner
- Wet and dry vacuum cleaners
- Single disc machine
- Orbital machine
- Brushing machine
- Spray extraction machine
- Foam-spray suction machine

# M5 POWER-CLEANER

The **M5** Power vacuum cleaner is your flexible and economical companion in professional cleaning.

TECHNICAL DATA	
Mains voltage	220 V / 50 Hz
Max. Power	900 W
Water column	2700 mm H <sub>2</sub> O
Noise level	68 dB(A)
Working width	275 mm
Cable length	12 m
Volume	10 liter
Weight	5,8 kg
Size	35x38x43 cm

## Features

- robust and stable construction
- easy handling
- container made of shock-resistant polypropylene
- accessory storage, parking position
- 5-times filter system
- HEPA filter: filters fine dust, suspended and very small particles with high efficiency
- inclusive furniture brush, crevice nozzle, upholstery nozzle, HEPA filter and two paper filter bags

# PRO1 PLUS COMMERCIAL VACUUM CLEANER

The PRO10 commercial vacuum cleaner is ideal for use in Offices, Hotels, Restaurants, Medical practices, Shops, etc. Thanks to its long life and both robust and modern construction, the PRO10 offers many practical and intelligent solutions at low cost of use.



TECHNICAL DATA	
mains voltage	220 V / 50 Hz
Max. Power	900 W
water column	2700 mm H <sub>2</sub> O
air conveyance	53 l/s
working width	275 mm
noise level	68 dB
volume	10 Liter
cable length	15 m
weight	7 kg
Size	45x35x33 cm

## Features

- 8-fold filter system
- auxiliary air valve for cooling the engine, especially in hot countries & during continuous operation
- connection cable with 15 meter length
- robust and stable construction with solid metal housing
- the motor is protected against overheating
- no more electrostatic charge
- power cable plug system, change without tools

# WD 22 P / WD 36 P / WD 50 PD / WD 80/2 PT



WD 22 P



WD 36 P



WD 50 PD



WD 80/2 PT

Powerful models for wet and dry applications for professional use with plastic containers in various designs.

## Features

- highly efficient, powerful motor
- accessories mounting
- exhaust air filter for a versatile application
- automatic float switch-off for a long service life
- inclusive drying floor nozzle, water nozzle, brush nozzle, crevice nozzle, upholstery nozzle, textile filter

## TECHNICAL DATA

	WD 22 P	WD 36 P	WD 50 PD	WD 80/2 PT
Dimensions	50x38x48,5 cm	50x38x68,5 cm	52,5x49,5x82,5 cm	61x52x92 cm
Weight	8,7 kg	8,7 kg	12,5 kg	19 kg
Max. Power consumption	1250 W	1250 W	1450 W	2500 W
Container Capacity	22 l	36 l	50 l	80 l
Actual capacity	11 l	25 l	35 l	56 l
Water column	235 mbar	235 mbar	260 mbar	225 mbar
Air conveyance	71 l/s	71 l/s	74 l/s	142 l/s
Cable length	10 m	10 m	10 m	10 m
Noise level	60 dB(A)	60 dB(A)	62 dB(A)	62 dB(A)

# SILENCE S9Q

This dry vacuum cleaner was specially developed for use and application in building cleaning.



TECHNISCHE DATEN	
Netzspannung	220 V / 50 Hz
Max. Leistung	900 W
Wassersäule	2500 mm H <sub>2</sub> O
Luftförderung	35 l/s
Arbeitsbreite	275 mm
Geräuschpegel	68 dB
Volumen	7 Liter
Kabellänge	15 m
Gewicht	7 kg
Grösse	33x40x40 cm

## Features

- stable construction, non-tilting
- easy handling
- accessory storage on the device
- parking position for lance
- 5 different filter systems
- orange power cable reduces the risk of tripping
- including furniture brush, upholstery nozzle, crevice nozzle, cartridge filter and fleece filter bag

# SD17

Powerful single disc machine for universal and versatile use.  
Suitable for intensive cleaning of all floor coverings and for light polishing work.



## INCLUDED IN KIT



scrubbing brush



carpet cleaning brush



pad holder



tank

## TECHNICAL DATA

Max. working width	17"= 432 mm
Voltage / Frequency	220-240 V/50 Hz
Brush power rating	1200 W
Brush speed	154 U/min
Diameter pad holder	16-17" m
Tank	10 Liter
Power supply cable	12 m
Weight	38 kg

## Features

- robust planetary gear
- complete accessories for all surfaces
- integrated 10 liter fresh water tank
- tool-free brush and disc change
- large rubberized wheels for easy transport

# ORBITAL HEAVY OR17

The orbital machine HEAVY OR17 convinces with its motion combination of eccentric motion and rotary motion. The oscillating head adapts to all surfaces and also allows working on uneven floors.

## Features

- the robust construction, the high net weight of 71.5 kg and the user-friendliness characterize the professionalism of this machine.
- the easy handling guarantees fatigue-free working.
- the special orbital technology significantly improves the mechanical cleaning power.



TECHNICAL DATA	
Working width	17"= 430 mm
Voltage/ Frequency	220-240 V/50 Hz
Power	1300 W
Brush-/ pad pressure	48,2 g/cm <sup>2</sup>
Undercarriage height	285 mm
Rotation	1500 U/min
Sound level	< 54 dbA
Liquid tank	12 Liters
Cable length	12 m
Weight (without accessories)	71,5 kg
Dimensions (LxWxH)	1200x730x450 mm



# ANIKO350 DUO BRUSH

**ANIKO350 Duo Brush** is a brushing machine for the professional cleaning of both carpets and hard floor coverings.

Thanks to the contra-rotating brushing system it is suitable for daily use from the incorporation of cleaning agents to the absorption of dirt. Its small working width of only 35 cm allows cleaning in narrow spaces.

## INCLUDED IN KIT



Renovators for simple removal of wet and dry dirt.

Dust protector for use when working the granulates into the carpet.

Transport tray for safe transport of brush machine to the cleaning site.

2 standard brushes in blue

## TECHNICAL DATA

TECHNICAL DATA	
Dimensions [LxWxH]	40,5x28,5x23 cm
Dimensions with handle [LxWxH]	40,5x28,5x117 cm
Machine weight	21,3 kg
Engine power	600 W
Brush rotations	483 U/pM
Cable length 230 V	10 m
Dirty water tank	2,8 Liter
Carpet cleaning performance	as far as 100 <sup>2</sup> m /h
Cleaning performance hard floor	as far as 200 <sup>2</sup> m /h
Volume [at 0.5 m]	57,8 db

## Features

- removal of coarse dirt
- can be used for carpet and hard floor cleaning
- contra-rotating brushing system
- dry and wet cleaning possible
- pile brushing
- easy use
- ideal for professional cleaning work in building cleaning

# ANIKO30 SPRAY EXTRACTION MACHINE

ANIKO30 is a spray extraction machine for the professional cleaning of small carpet and hard floor surfaces.

Despite its small dimensions it is suitable for professional use and intensive use.

Thanks to the high suction power of the ANIKO30, as much dirt as possible is extracted from the floor and a very fast drying is possible. Its small working width of only 27 cm allows cleaning in narrow spaces



TECHNICAL DATA	
Dimensions	30x42x53 cm
Packing dimensions	34x53x70 cm
Machine weight	12 kg
Weight incl. packaging	15 kg
Suction motor / max. air output	zweistufig / 45 l/sec
Max. Power	1500 W
Water column	3000 mmH <sub>2</sub> O
Power Pump with By-Pass	70 W, 4,0 bar, 1,5 l/min
Fresh water tank	14 Liter
Dirty water tank	14 Liter
Number of nozzles	1
Cable length	10 m
Length of hose	2,5 m
Area output	60 m <sup>2</sup> /h
Volume	66 db

## Features

- incl. suction lance for carpet and hard floors
- solid construction
- tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- coupling made of brass
- suction motor with thermal protection against overload
- height-adjustable handle for better ergonomics

# ANIKO30 FOAMTEC

ANIKO30 FOAMTEC is a small spray vacuum machine with foam technology for professional use on walls, ceilings and other surfaces that need to be cleaned with foam. Despite its small dimensions it is suitable for professional use and intensive use. The sprayed-on foam sticks to the surface and allows a long working time and a more intensive cleaning power. Advantages of the foam technology include saving time and cleaning agents and the visual effect during cleaning work.



TECHNICAL DATA	
Dimensions	38x70x86 cm
Packing dimensions	54x90x115 cm
Machine weight	50 kg
Weight incl. packaging	77 kg
Suction motor / max. air output	zweistufig / 50 l/sec
Max. Power	1000 W
Water column	2200 mmH <sub>2</sub> O
Power Pump with By-Pass	90 W, 9,0 bar, 5 l/min
Fresh water tank	14 Liter
Dirty water tank	14 Liter
Number of nozzles	1
Cable length	10 m
Length of hose	5,5 m
Area output	25 m²/h
Compressor	350 W

## Features

- handy size, easy application
- robust construction, tank made of polyethylene with high tightness
- ideal for professional cleaning of very dirty sanitary areas, canteen kitchens, etc.
- regulated dosage of the cleaning agent
- easy adjustment from foam phase to rinse phase
- canister with cleaning agent can be perfectly placed on the machine thanks to the built-in holding device
- SANEX FOAM foam cleaner especially developed for ANIKO 30 FOAMTEC

# ANIKO60 SPRAY EXTRACTION MACHINE

**ANIKO60** is a spray extraction machine for the professional cleaning of medium-sized carpet surfaces. Despite its strong and compact construction it is easy to carry and suitable for professional use in contract cleaning. Thanks to the high suction power of the ANIKO60, as much dirt as possible is extracted from the floor and a very fast drying is possible. Its small working width of only 30 cm allows cleaning in narrow rooms.



TECHNISCHE DATEN	
Dimensions	38x50x78 cm
Packing dimensions	42x65x91 cm
Machine weight	24 kg
Weight including packaging	33 kg
Suction motor / max. air output	zweistufig / 45 l/sec
Max. Power	1500 W
Water column	3000 mmH <sub>2</sub> O
Power Pump with By-Pass	80 W, 9,0 bar, 4,5 l/min
Fresh water tank	30 Liter
Dirty water tank	30 Liter
Number of nozzles	3
Cable length	10 m
Length of hose	5 m
Area output	80 m²/h
Volume	67 db

## Features

- incl. suction lance for carpets
- tank made of polyethylene with high tightness easy handling
- solid construction
- ideal for professional cleaning work in building cleaning
- coupling made of brass
- suction motor with thermal protection against overload
- height adjustable handle for better ergonomics
- diaphragm pump with By-Pass

# ANIKO25 BRUSH

**ANIKO25** is a spray extraction brushing machine for the professional cleaning of small carpet and hard floor surfaces. The automatically adjustable pressure of the rotating brush enables the basic cleaning of heavily soiled carpets and hard floors. Its small working width of only 29 cm allows cleaning in narrow rooms.



TECHNICAL DATA	
Dimensions	29x78x90 cm
Packing dimensions	36x60x76 cm
Machine weight	21 kg
Weight incl. packaging	25 kg
Suction motor / max. air output	zweistufig / 50 l/sec
Max. Power	1000 W
Water column	2200 mmH <sub>2</sub> O
Power Pump with By-Pass	70 W, 4,0 bar, 1,5 l/min
Frischwassertank	12 Liter
fresh water tank	12 Liter
Number of nozzles	3
Power brush	90 W, 600 Umd./min, 232 mm
Cable length	12 m
Length of hose	2,5 m
Area output	120 m <sup>2</sup> /h
Volume	60 db

## Features

- quick conversion from carpet to hard floor cleaning by simply tilting a lever
- solid construction
- tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- adjustable water quantity
- extraction motor with thermal protection against overload

# ANIKO70 BRUSH

**ANIKO70** is a spray extraction brushing machine for the professional cleaning of medium and large carpet and hard floor surfaces. Thanks to the working width of 40 cm, large rooms can be cleaned quickly and effectively.

The automatically adjustable pressure of the rotating brush enables the basic cleaning of heavily soiled carpets and hard floors.



TECHNICAL DATA	
Dimensions	42x104x96 cm
Packing dimensions	50x110x114 cm
Machine weight	50 kg
Weight including packaging	65 kg
Suction motor / max. air output	dreistufig / 45 l/sec
Max. Power	1500 W
Water column	3400 mmH <sub>2</sub> O
Power Pump with By-Pass	80 W, 9,0 bar, 4,5 l/min
Fresh water tank	35 Liter
Dirty water tank	35 Liter
Number of nozzles	4
Power brush	120 W, 600 Umd./min, 363 mm
Cable length	15 m
Area output	250 m <sup>2</sup> /h
Volume	60 db

## Features

- high suction capacity thanks to three-stage motor
- fast conversion from carpet to hard floor cleaning
- comfortable working height
- low-noise, since only 60 decibels
- robust construction, tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- adjustable water quantity
- suction motor with thermal protection against overload

**Thank you very much  
for your attention!**