

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EXBETAN X

UFI: 90FM-D3TA-HKE4-RH7K

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: ARCORA International GmbH
Street: Marsstraße 9
Place: D-85609 Aschheim
Telephone: +49 (0)89 / 14 33 29 3-0 Telefax: +49 (0)89 / 14 33 29 3-29
e-mail: info@arcora.de

1.4. Emergency telephone number: Giftnotruf der Charité - Universitätsmedizin Berlin -24H- Tel.: 030 30686700

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:
Serious eye damage/eye irritation: Eye Irrit. 2
Hazard Statements:
Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sodium hydroxide; caustic soda
Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash mit wasser thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363 Wash contaminated clothing before reuse.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310 Immediately call a POISON CENTER/doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 2 of 11

P310

P405

present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store locked up.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1310-73-2	sodium hydroxide; caustic soda			1 - < 5 %
	215-185-5			
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)			1 - < 5 %
	203-905-0		01-2119475108-36	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319			
68439-46-3	C9-11 Alkoholethoxylat			1 - < 5 %
	Eye Irrit. 2; H319			
1554325-20-0	Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid			1 - < 5 %
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302 H315 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	sodium hydroxide; caustic soda	1 - < 5 %
		inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
111-76-2	203-905-0	2-Butoxy-ethanol (vgl. Butylglykol)	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1200 mg/kg; oral: LD50 = 1480 mg/kg	
68439-46-3		C9-11 Alkoholethoxylat	1 - < 5 %
		inhalation: Data lacking (gases); dermal: Data lacking; oral: LD50 = > 2 000 mg/kg	
1554325-20-0		Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid	1 - < 5 %
		inhalation: Data lacking (gases); dermal: Data lacking; oral: LD50 = > 300 - 2 000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % cationic surfactants, < 5 % phosphates.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 3 of 11

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 4 of 11

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
111-76-2	2-Butoxyethanol	20	98		TWA (8 h)	
		50	246		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
1310-73-2	sodium hydroxide; caustic soda			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Consumer DNEL, long-term		inhalation	local	1 mg/m ³
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)			
Consumer DNEL, long-term		oral	systemic	6,3 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	26,7 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	89 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	89 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	75 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	125 mg/kg bw/day
Consumer DNEL, acute		inhalation	systemic	426 mg/m ³
Worker DNEL, acute		inhalation	systemic	1091 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	59 mg/m ³
Worker DNEL, long-term		inhalation	systemic	98 mg/m ³
Worker DNEL, acute		inhalation	local	246 mg/m ³
Consumer DNEL, long-term		inhalation	local	147 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 5 of 11

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)	
Freshwater		8,8 mg/l
Freshwater (intermittent releases)		9,1 mg/l
Marine water		0,88 mg/l
Freshwater sediment		34,6 mg/kg
Marine sediment		3,46 mg/kg
Micro-organisms in sewage treatment plants (STP)		463 mg/l
Soil		2,33 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	light yellow
Odour:	characteristic

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	not determined

Flammability

Solid/liquid:	not applicable
Gas:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 6 of 11

Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature: not determined

Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

pH-Value (at 20 °C): 11,3

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): 1,02 g/cm³

Relative vapour density: not determined

9.2. Other information

Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 7 of 11

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda				
	oral	Data lacking			
	dermal	Data lacking			
	inhalation	Data lacking			
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)				
	oral	LD50 1480 mg/kg	Rat		
	dermal	LD50 1200 mg/kg	Kaninchen		
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
68439-46-3	C9-11 Alkoholethoxylat				
	oral	LD50 > 2 000 mg/kg	Ratte		
	dermal	Data lacking			
	inhalation	Data lacking			
1554325-20-0	Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid				
	oral	LD50 > 300 - 2 000 mg/kg	Ratte		
	dermal	Data lacking			
	inhalation	Data lacking			

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide; caustic soda					
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h	Ceriodaphnia dubia		
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)					
	Acute fish toxicity	LC50 1474 mg/l	96 h	RegenbogenForelle		
	Acute crustacea toxicity	EC50 1550 mg/l	48 h	Wasserfloh		
	Fish toxicity	NOEC >100 mg/l	21 d	Zebrabärbling		
68439-46-3	C9-11 Alkoholethoxylat					
	Acute fish toxicity	LC50 1-10 mg/l	96 h	Oncorhynchus mykiss		OECD Prüfrichtlinie 203
	Acute algae toxicity	ErC50 1-10 mg/l	72 h	Skeletonema costatum		
	Acute crustacea toxicity	EC50 1-10 mg/l	48 h	Daphnia magna		
1554325-20-0	Quartäres C12-14 alkylmethylenethoxylatmethylchlorid					
	Acute fish toxicity	LC50 > 10 - 100 mg/l	96 h	Fisch		
	Acute algae toxicity	ErC50 > 1 - 10 mg/l	72 h	Algen		
	Acute crustacea toxicity	EC50 > 1 - 10 mg/l	48 h	Daphnia		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-Butoxy-ethanol (vgl. Butylglykol)	0,81 (25°C)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 9 of 11

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 3 % (30,6 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation).

National regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 10 of 11

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

EXBETAN X

Print date: 04.03.2022

Revision date: 04.03.2022

Page 11 of 11

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)