

## CLEANING MACHINES

### Agenda

- Vacuum cleaner
- Wet and dry vacuum cleaners
- Single disc machine
- Orbital machine
- Brushing machine
- Spray extraction machine
- Foam-spray suction machine
- Floor scrubbing machine



### M5 PLUS

The **M5PLUS Profi** vacuum cleaner is your flexible and economical companion in professional cleaning. Suitable for different types of flooring, especially for use in hotels.



TECHNICAL DATA		
Mains voltage	220 V / 50 Hz	
Max. Power	900 W	
Water column	2700 mm H <sub>2</sub> O	
Noise level	68 dB(A)	
Working width	275 mm	
Cable length	15 m	
Volume	10 liter	
Weight	5,8 kg	
Size	35x38x43 cm	

- robust and stable construction
- easy handling
- container made of shock-resistant polypropylene
- accessory storage, parking position
- 5-times filter system
- HEPA filter: filters fine dust, suspended and very small particles with high efficiency
- inclusive furniture brush, crevice nozzle, upholstery nozzle, HEPA filter and two paper filter bags
- rubber-tyred wheels to protect the floor and embedded front wheels ensure easy cleaning



### PRO1 PLUS COMMERCIAL VACUUM CLEANER

The PRO10 commercial vacuum cleaner is ideal for use in Offices, Hotels, Restaurants, Medical practices, Shops, etc. Thanks to its long life and both robust and modern construction, the PRO10 offers many practical and intelligent solutions at low cost of use.



TECHNICAL DATA		
220 V / 50 Hz		
900 W		
2700 mm H <sub>2</sub> O		
53 l/s		
275 mm		
68 dB		
10 Liter		
15 m		
7 kg		
45x35x33 cm		

- 8-fold filter system
- auxiliary air valve for cooling the engine, especially in hot countries & during continuous operation
- connection cable with 15 meter length
- robust and stable construction with solid metal housing
- the motor is protected against overheating
- no more electrostatic charge
- power cable plug system, change without tools



### WD 22 P / WD 36 P / WD 50 PD / WD 80/2 PT



Powerful models for wet and dry applications for professional use with plastic containers in various designs.

- highly efficient, powerful motor
- accessories mounting
- exhaust air filter for a versatile application
- automatic float switch-off for a long service life
- inclusive drying floor nozzle, water nozzle, brush nozzle, crevice nozzle, upholstery nozzle, textile filter

TECHNICAL DATA				
	WD 22 P	WD 36 P	WD 50 PD	WD 80/2 PT
Dimensions	50x38x48,5 cm	50x38x68,5 cm	52,5x49,5x82,5 cm	61x52x92 cm
Weight	8,7 kg	8,7 kg	12,5 kg	19 kg
Max. Power consumption	1250 W	1250 W	1450 W	2500 W
Container Capacity	22	36	50	80
Actual capacity	111	251	35	561
Water column	235 mbar	235 mbar	260 mbar	225 mbar
Air conveyance	71 l/s	71 l/s	74 l/s	142 l/s
Cable length	10 m	10 m	10 m	10 m
Noise level	60 dB(A)	60 dB(A)	62 dB(A)	62 dB(A)

### WD 30

Powerful 30 litres wet-/dry vacuum cleaner with stainless steel housing

#### **Features**

- high performance
- with stable stainless steel housing
- ideal price-performance ratio
- cyclone water separation system with reliable float shut-off
- easy to move due to wide chassis and long wheelbase
- the floor nozzle (360 mm) included in the scope of delivery can be converted from a wet floor nozzle to a dry floor nozzle by simply replacing the rubber lips or brushes
- Incl. aluminium suction pipe (2x0.5 m), suction hose complete (2.5 m), wet floor nozzle (360 mm) with parking hook, brush strip (360 mm), crevice nozzle (230 mm), round brush, cyclone insert, HEPA 13-fine dust filter cartridge, fleece filter bag, power cable (7.5 m) black



#### **TECHNICAL DATA**

Mains voltage	230 V / 50 Hz.
Max. Power	1200 W
Noise level	76 dB(A)
Volume flow	48 litre / sec.
Max. negative pressure	230 mbar
Container material	Stainless steel
Volume	30 litre
Cable length	7,5 m
Length of suction hose	2,5 m
Diameter suction hose	32 mm
Diameter suction pipe	32 mm
Weight	8,9 kg
Size	42 x 38 x 63 cm

### SILENCE S9Q

This dry vacuum cleaner was specially developed for use and application in building cleaning.

$\frown$	TECHNISCH	E DATEN
	Netzspannung	220 V / 50 Hz
	Max. Leistung	900 W
	Wassersäule	2500 mm H <sub>2</sub> O
	Luftförderung	35 l/s
	Arbeitsbreite	275 mm
	Geräuschpegel	68 dB
	Volumen	7 Liter
	Kabellänge	15 m
	Gewicht	7 kg
	Grösse	33x40x40 cm

#### **Features**


- stable construction, non-tilting •
- easy handling
- accessory storage on the device
- parking position for lance
- 5 different filter systems
- orange power cable reduces the risk of tripping
- including furniture brush, upholstery nozzle, crevice nozzle, cartridge filter and fleece filter bag



### **SD17**

Powerful single disc machine for universal and versatile use.

Suitable for intensive cleaning of all floor coverings and for light polishing work.



- robust planetary gear
- complete accessories for all surfaces
- integrated 10 liter fresh water tank
- tool-free brush and disc change
- large rubberized wheels for easy transport



### **ORBITAL HEAVY OR17**

The orbital machine HEAVY OR17 convinces with its motion combination of eccentric motion and rotary motion. The oscillating head adapts to all surfaces and also allows working on uneven floors.

- the robust construction, the high net weight of 71.5 kg and the user-friendliness characterize the professionalism of this machine.
- the easy handling guarantees fatigue-free working.
- the special orbital technology significantly improves the mechanical cleaning power.



TECHNICAL DATA		
Working width	17"= 430 mm	
Voltage/ Frequency	220-240 V/50 Hz	
Power	1300 W	
Brush-/ pad pressure	48,2 g/cm <sup>2</sup>	
Undercarriage height	285 mm	
Rotation	1500 U/min	
Sound level	< 54 dbA	
Liquid tank	12 Liters	
Cable length	12 m	
Weight (without accessories)	71,5 kg	
Dimensions (LxWxH)	1200x730x450 mm	



### **ANIKO350 DUO BRUSH**

**ANIKO350 Duo Brush** is a brushing machine for the professional cleaning of both carpets and hard floor coverings.

Thanks to the contra-rotating brushing system it is suitable for daily use from the incorporation of cleaning agents to the absorption of dirt. Its small working width of only 35 cm allows cleaning in narrow spaces.



INCLUDE	D IN KIT
	Clark

Dust protector for

the granulates into

Renovators for simple removal of use when working wet and dry dirt.



Transport tray for 2 standard safe transport of brushes brush machine in blue to the cleaning site.

TECHNICAL DATA		
Dimensions [LxWxH]	40,5x28,5x23 cm	
Dimensions with handle [LxWxH]	40,5x28,5x117 cm	
Machine weight	21,3 kg	
Engine power	600 W	
Brush rotations	483 U/pM	
Cable length 230 V	10 m	
Dirty water tank	2,8 Liter	
Carpet cleaning performance	as far as 100 <sup>2</sup> m /h	
Cleaning performance hard floor	as far as 200²m /h	
Volume [at 0.5 m]	57,8 db	

- removal of coarse dirt
- can be used for carpet and hard floor cleaning
- contra-rotating brushing system
- dry and wet cleaning possible
- pile brushing
- easy use
- ideal for professional cleaning work in building cleaning



### **ANIKO30** SPRAY EXTRACTION MACHINE

ANIKO30 is a spray extraction machine for the professional cleaning of small carpet and hard floor surfaces. Despite its small dimensions it is suitable for professional use and intensive use.

Thanks to the high suction power of the ANIKO30, as much dirt as possible is extracted from the floor and a very fast drying is possible. Its small working width of only 27 cm allows cleaning in narrow spaces



- incl. suction lance for carpet and hard floors
- solid construction
- tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- coupling made of brass
- suction motor with thermal protection against overload
- height-adjustable handle for better ergonomics



### **ANIKO30** SPRAY EXTRACTION MACHINE



TECHNICAL DATA		
Dimensions	30x42x53 cm	
Packing dimensions	34x53x70 cm	
Mashine weight	12 kg	
Weight incl. packaging	15 kg	
Suction motor / max. air output	zweistufig / 45 l/sec	
Max. Power	1500 W	
Water column	3000 mmH <sub>2</sub> O	
Power Pump with By-Pass	70 W, 4,0 bar, 1,5 l/min	
Fresh water tank	14 Liter	
Dirty water tank	14 Liter	
Number of nozzles	1	
Cable length	10 m	
Length of hose	2,5 m	
Area output	60 m²/h	
Volume	66 db	



### **ANIKO60** SPRAY EXTRACTION MACHINE

**ANIKO60** is a spray extraction machine for the professional cleaning of medium-sized carpet surfaces. Despite its strong and compact construction it is easy to carry and suitable for professional use in contract cleaning. Thanks to the high suction power of the ANIKO60, as much dirt as possible is extracted from the floor and a very fast drying is possible. Its small working width of only 30 cm allows cleaning in narrow rooms.



- incl. suction lance for carpets
- tank made of polyethylene with high tightness easy handling
- solid construction
- ideal for professional cleaning work in building cleaning
- coupling made of brass
- suction motor with thermal protection against overload
- height adjustable handle for better ergonomics
- diaphragm pump with By-Pass



### **ANIKO60** SPRAY EXTRACTION MACHINE



TECHNISCHE DATEN		
Dimensions	38x50x78 cm	
Packing dimensions	42x65x91 cm	
Machine weight vergint	24 kg	
Weight including packaging	33 kg	
Suction motor / max. air output	zweistufig / 45 l/sec	
Max. Power	1500 W	
Water column	3000 mmH <sub>2</sub> O	
Power Pump with By-Pass	80 W, 9,0 bar, 4,5 l/min	
Fresh water tank	30 Liter	
Dirty water tank	30 Liter	
Number of nozzles	3	
Cable length	10 m	
Length of hose	5 m	
Area output	80 m²/h	
Volume	67 db	



### ANIKO30 FOAMTEC

ANIKO30 FOAMTEC is a small spray vacuum machine with foam technology for professional use on walls, ceilings and other surfaces that need to be cleaned with foam. Despite its small dimensions it is suitable for professional use and intensive use. The sprayed-on foam sticks to the surface and allows a long working time and a more intensive cleaning power. Advantages of the foam technology include saving time and cleaning agents and the visual effect during cleaning work.



- handy size, easy application
- robust construction, tank made of polyethylene with high tightness
- ideal for professional cleaning of very dirty sanitary areas, canteen kitchens, etc.
- regulated dosage of the cleaning agent
- easy adjustment from foam phase to rinse phase
- canister with cleaning agent can be perfectly placed on the machine thanks to the built-in holding device
- SANEX FOAM foam cleaner especially developed for ANIKO 30 FOAMTEC



### **ANIKO30** FOAMTEC



TECHNICAL DATA		
Dimensions	38x70x86 cm	
Packing dimensions	54x90x115 cm	
Machine weight	50 kg	
Weight incl. packaging	77 kg	
Suction motor / max. air output	zweistufig / 50 l/sec	
Max. Power	1000 W	
Water column	2200 mmH <sub>2</sub> O	
Power Pump with By-Pass	90 W, 9,0 bar, 5 l/min	
Fresh water tank	14 Liter	
Dirty water tank	14 Liter	
Number of nozzles	1	
Cable length	10 m	
Length of hose	5,5 m	
Area output	25 m²/h	
Compressor	350 W	



### **ANIKO25 BRUSH**

**ANIKO25** is a spray extraction brushing machine for the professional cleaning of small carpet and hard floor surfaces. The automatically adjustable pressure of the rotating brush enables the basic cleaning of heavily soiled carpets and hard floors. Its small working width of only 29 cm allows cleaning in narrow rooms.



- quick conversion from carpet to hard floor cleaning by simply tilting a lever
- solid construction
- tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- adjustable water quantity
- extraction motor with thermal protection against overload



### **ANIKO25 BRUSH**



TECHNICAL DATA		
Dimensions	29x78x90 cm	
Packing dimensions	36x60x76 cm	
Machine weight weight	21 kg	
Weight incl. packaging	25 kg	
Suction motor / max. air output	zweistufig / 50 l/sec	
Max. Power	1000 W	
Water column	2200 mmH₂O	
Power Pump with By-Pass	70 W, 4,0 bar, 1,5 l/min	
Frischwassertank	12 Liter	
fresh water tank	12 Liter	
Number of nozzles	3	
Power brush	90 W, 600 Umd./min, 232 mm	
Cable length	12 m	
Length of hose	2,5 m	
Area output	120 m²/h	
Volume	60 db	



### **ANIKO70 BRUSH**

**ANIKO70** is a spray extraction brushing machine for the professional cleaning of medium and large carpet and hard floor surfaces. Thanks to the working width of 40 cm, large rooms can be cleaned quickly and effectively. The automatically adjustable pressure of the rotating brush enables the basic cleaning of heavily soiled carpets and hard floors.



- high suction capacity thanks to three-stage motor
- fast conversion from carpet to hard floor cleaning
- comfortable working height
- low-noise, since only 60 decibels
- robust construction, tank made of polyethylene with high tightness
- easy use
- ideal for professional cleaning work in building cleaning
- adjustable water quantity
- suction motor with thermal protection against overload



### **ANIKO70 BRUSH**



TECHNICAL DATA			
Dimensions	42x104x96 cm		
Packing dimensions	50x110x114 cm		
Machine weight	50 kg		
Weight including packaging	65 kg		
Suction motor / max. air output	dreistufig / 45 l/sec		
Max. Power	1500 W		
Water column	3400 mmH₂O		
Power Pump with By-Pass	80 W, 9,0 bar, 4,5 l/min		
Fresh water tank	35 Liter		
Dirty water tank	35 Liter		
Number of nozzles	4		
Power brush	120 W, 600 Umd./min, 363 mm		
Cable length	15 m		
Area output	250 m²/h		
Volume	60 db		



The manual 510BM scrubber dryer machine is ideal for deep- and maintenance cleaning, especially of high traffic areas such as shopping centres, supermarkets, offices and public buildings. The 510BM is characterised by flexibility, user friendliness and excellent cleaning performance. Thanks to the large brush diameter, large areas are reliably cleaned quickly without leaving residues.



TECHNICAL DATA		
Brush width	510 mm	
Suction width	760 mm	
Battery	2 x DC12V 100 AH	
Brush motor	550 W	
Working capacity	2000 m²/h	
Tank capacity	47 Lt (Clean)-50 Lt (Dirty)	
Brush speed	150 rpm	
Brush pressure	30 kg	
Vacuum degree	180 mbar	
Working time	3 h	
Weight (Net)	75 kg / 135 kg (w. Battery)	

- Easy handling
- Excellent cleaning performance
- Ergonomic design
- Robust construction
- Easy brush and plate removal
- High mobility





**ARCORA**® www.arcora-group.com

The manual 520BM scrubber dryer machine is ideal for deep- and maintenance cleaning, especially of high traffic areas such as shopping centres, supermarkets, offices and public buildings. The 520BM is characterised by flexibility, user friendliness and excellent cleaning performance. Thanks to the large brush diameter, large areas are reliably cleaned quickly without leaving residues.



TECHNICAL DATA		
Brush width	510 mm	
Suction width	760 mm	
Battery	2 x DC12V 100 AH	
Brush motor	550 W	
Working capacity	2000 m²/h	
Tank capacity	50 Lt (Clean)-55 Lt (Dirty)	
Brush speed	150 rpm	
Brush pressure	30 kg	
Vacuum degree	180 mbar	
Working time	3 h	
Weight (Net)	85 kg / 145 kg (w. Battery)	

- Easy handling
- Excellent cleaning performance
- Ergonomic design
- Robust construction
- Easy brush and plate removal
- High mobility









### 660BR/90L RIDE ON SCRUBBER DRYER MACHINE

The battery-powered compact ride-on scrubber dryer machine 660BR/90L cleans medium to large areas quickly and comfortably, leaving no residues behind. Thanks to its high cleaning performance with 2 brushes or 2 pad holder and ergonomic operation, effortless and user-friendly cleaning is ensured. Simply operation and a mechanical design guarantee reliable and long-lasting performance



- Compact and robust rid-on machine
- High maneuverability, ideal for tight areas
- Ergonomic design
- Quiet operation
- Easy brush and plate removal
- Excellent suction results



### **660BR/90L RIDE ON SCRUBBER DRYER MACHINE**

TECHNICAL DATA		
Motor voltage	2 x 12 V (24 V) 150 Ah	
Working width	660 mm / 2 x 330 mm (2 x 13")	
Brush motor	2 x 400 W	
Brush rotation speed	180 U/min	
Suction motor	450 W	
Pump pressure	160 mbar	
Motor traction power	500 W	
Traction speed	0-7 km/h	
Clean water tank	90 L	
Dirty water tank	100 L	
Cleaning capacity	ca. 3800 m²/h	
Running time / Charging time	180 min / 8 h	
Suction width	1000 mm	
Weight w. batteries	262 kg	
Dimensions	140 x 75 x 139 cm	



**ARCORA**® www.arcora-group.com

### **TIGER 40 FLOOR SCRUBBING MACHINE**

The compact scrubbing machine is the ideal mechanical alternative to mopping systems and can be used on all type of floor coverings. The combination of two rotating brushes or pads with the powerful suction motor ensures a dry and streak-free surface that can be walked on immediately.



- Scrubbing and suction in one step
- Perfect drying of the floor and can be walked on immediately
- Cleaning of tight areas possible
- Can be combined with various pads and brushes
- Easily removable tanks
- Easy handling thanks to the universal joint



### **TIGER 40 FLOOR SCRUBBING MACHINE**

TECHNIC	CAL DATA	
Power	DC 36 V	
Working width	42 cr	
Absorbent width	44 cr	
Working efficiency	700 m²/r	
Brush disc diameter/brushes	17,5 cm / 21 cn	
Brush disc speed slow/fast	270/340 rpn	
Brush plate motor	2 x 150 V	
Brush pressure	11 kc	
Suction motor	150 V	
Vacuum degree	120 mbar	
Turning radius	30 cm	
Clean water tank capacity	2	TIGER40
Dirty water tank capacity	3,5 I	
Noise level	63 dB	
Battery pack	7,5 Ah-36 V (Lithium)	
attery weight	2 kç	
otal weight of the machine	16 kç	
ross weight including packaging	20 kç	• •

Light: With LED light for improved visibility of the area to be cleaned.





# Thank you very much for your attention!