

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Arcora Power-Clean

UFI: VS00-R015-N00Q-SF09

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ARCORA® International GmbH

Marsstraße 9

D-85609 Aschheim

Telefon: +49 (0)89 / 14 33 29 3-0

Telefax: +49 (0)89 / 14 33 29 3-29

E-Mail: info@arcora.de

Informing department: Product safety department

1.4 Emergency telephone number:

Beratungsstelle bei Vergiftungen, Berlin (Giftnotrufzentrale Charité)

Tel.: +49 (0) 30 / 30686-700 (Beratung in Deutsch und Englisch)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Additional information:

The classification of the mixture is based on the additivity principle of the ingredients to be considered as laid down in the CLP Regulation, taking into account specified substance-specific concentration limits (if available).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

potassium hydroxide

disodium silicate pentahydrate

(Contd. on page 2)

EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 1)

Quaternary C12-C14 alkylaminethoxylate, chloride

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P390 Absorb spillage to prevent material damage.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components in quantities of 0.1% or more considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions (aqueous solution).

Dangerous components:

CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33	potassium hydroxide Met. Corr. 1, H290; Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥5-<10%
CAS: 10213-79-3 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37	disodium silicate pentahydrate Met. Corr. 1, H290; Skin Corr. 1B, H314; STOT SE 3, H335	≥2.5-<5%
CAS: 68439-46-3 Polymer	Alcohols C9-11, ethoxylated (≥2,5 - ≤4 EO) Eye Irrit. 2, H319	≥1-<2.5%
CAS: 1554325-20-0 Polymer	Quaternary C12-C14 alkylaminethoxylate, chloride Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥1-<2.5%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 2)

SVHC

This product does not contain any substances of very high concern (REACH Regulation (EC) No 1907/2006, Article 57).

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, cationic surfactants, amphoteric surfactants

<5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: Instantly remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation persists, seek medical advice.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting. Drink plenty of water. Call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

Carbon dioxide, extinguishing powder, water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Carbon oxides (COx)

organic decomposition products

5.3 Advice for firefighters

Protective equipment:

See section 8.

Wear full protective suit with self-contained breathing apparatus.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

EU

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

Avoid contact with skin, eyes and clothing. Do not breathe vapour. Ventilate contaminate area thoroughly. Shut off leaks, if possible without personal risk.

6.2 Environmental precautions:

Dilute with much water.

Do not allow to enter drainage system, surface or ground water.

If large amounts are released, the authorities must be informed.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Ensure adequate ventilation.

Contaminated material has to be disposed as waste (see item 13).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed.

Avoid contact with eyes and skin.

Information about protection against explosions and fires:

Pay attention to general rules of internal fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed. Store in cool, dry conditions.

Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water hazardous substances

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

DNELs

CAS: 1310-58-3 potassium hydroxide

Inhalative	DNEL (worker)	1 mg/m ³ (Long-term - local effects)
	DNEL (population)	1 mg/m ³ (Long-term - local effects)

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 4)

CAS: 10213-79-3 disodium silicate pentahydrate

Oral	DNEL (population)	0.74 mg/kg bw/day (Long-term - systemic effects)
Dermal	DNEL (worker)	1.49 mg/kg bw/day (Long-term - systemic effects)
	DNEL (population)	0.74 mg/kg bw/day (Long-term - systemic effects)
Inhalative	DNEL (worker)	6.22 mg/m ³ (Long-term - systemic effects)
	DNEL (population)	1.55 mg/m ³ (Long-term - systemic effects)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

Breathing equipment: Not necessary if room is well-ventilated.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

liquid

Colour:

Yellow

Smell:

Pleasant

Odour threshold:

Not determined.

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 5)

Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Product is non-flammable nor potentially explosive
Auto-ignition temperature:	(lowest level for individual components)
Decomposition temperature:	Not determined.
pH at 20 °C	13.5
pH-value:	
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
Density and/or relative density	
Density at 20 °C	1.101 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not relevant (liquid)

9.2 Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not potentially explosive
Change in condition	
Evaporation rate	Not determined.

Information with regard to physical hazard

classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 6)

Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

Strong acids

strong oxidizing agents

10.6 Hazardous decomposition products:

Thermal decomposition can produce a variety of compounds, the precise nature of which will depend on the decomposition conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	5,877 mg/kg (rat)
------	------	-------------------

CAS: 10213-79-3 disodium silicate pentahydrate

Oral	LD50	1,152-1,349 mg/kg (rat)
------	------	-------------------------

Dermal	LD50	>5,000 mg/kg (rat)
--------	------	--------------------

CAS: 1310-58-3 potassium hydroxide

Oral	LD50	333 mg/kg (rat)
------	------	-----------------

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 7)

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Not all ingredients are listed

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

The mixture has been classified according to Article 4.1.3.5 of the CLP Regulation based on the available data of the components (summation method):

The mixture has no aquatic toxicity.

CAS: 68439-46-3 Alcohols C9-11, ethoxylated (≥2,5 - ≤4 EO)

LC 50 / 96 h 2.4 mg/l (fish)

EC 50 / 48 h 1-10 mg/l (Daphnia)

EC 50 / 72 h 1-10 mg/l (Algae)

CAS: 1554325-20-0 Quaternary C12-C14 alkylaminethoxylate, chloride

LC 50 / 96 h >10-100 mg/l (fish)

EC 50 / 48 h >1-10 mg/l (Daphnia magna)

EC 50 / 72 h >1-10 mg/l (Algae)

12.2 Persistence and degradability

The organic components contained are easily biodegradable.

CAS: 68439-46-3 Alcohols C9-11, ethoxylated (≥2,5 - ≤4 EO)

Biodegradability >60 % (OECD 301 D)

CAS: 1554325-20-0 Quaternary C12-C14 alkylaminethoxylate, chloride

Biodegradability 63 % (OECD 301 D)

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.

EU

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

Uncleaned packagings: Disposal must be made according to official regulations.

Recommendation:

After complete emptying and cleaning, send to be reconditioned or recycled.

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN1719

14.2 UN proper shipping name

ADR Void
IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE)

14.3 Transport hazard class(es)

ADR
Class 8 (C5) Corrosive substances.
Label 8

IMDG, IATA

Class 8 Corrosive substances.
Label 8

14.4 Packing group

ADR, IMDG, IATA II

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user

Warning: Corrosive substances.

Kemler Number: 80

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 9)

EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Segregation Code	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Not all ingredients are listed

Chinese Chemical Inventory of Existing Chemical Substances (IECSC)

All ingredients are listed.

Australian Inventory of Industrial Chemicals (AIIC)

All ingredients are listed.

Korean Existing Chemical Inventory (KECI)

All ingredients are listed.

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 10)

New Zealand Inventory of Chemicals (NZIoC)

All ingredients are listed.

Taiwan Chemical Substance Inventory (TCSI)

All ingredients are listed.

Japan - Existing Chemical Substances (ENCS)

All ingredients are listed.

Directive 2012/18/EU

Named dangerous substances - ANNEX I (12. BImSchV) Not all ingredients are listed

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

Not all ingredients are listed

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Not all ingredients are listed

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Not all ingredients are listed

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Not all ingredients are listed

Regulation (EC) No 273/2004 on drug precursors

Not all ingredients are listed

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Not all ingredients are listed

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Technical instructions (air):

Class	Share in %
NK	≥5-<10

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

In accordance with Annex II of EC No 1907/2006 as applicable on the date of this safety data sheet.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2025

Version number 1

Revision: 20.06.2025

Trade name Arcora Power-Clean

(Contd. of page 11)

Registration-Number**Relevant phrases**

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

Registration-Number**Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC and RCR= Estimated Exposition/DNEL)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3