according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
<u>1.1. Product identifier</u> FAT CLEAN				
UFI:	K3HY-GHFR-NESN-C2D7			
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised agains	<u>st</u>		
Use of the substance/mixture Fettlöser				
1.3. Details of the supplier of the safe				
Company name: Street: Place:	ARCORA International GmbH Marsstraße 9 D-85609 Aschheim			
Telephone: e-mail:	+49 (0)89 / 14 33 29 3-0 info@arcora.de	Telefax: +49 (0)89 / 14 33 29 3-29		
<u>1.4. Emergency telephone</u> number:	Giftnotruf der Charité - Universitätsmedizin B	erlin -24H- Tel.: 030 30686700		
SECTION 2: Hazards identificatio	n			
2.1. Classification of the substance of	or mixture			
Regulation (EC) No. 1272/2008 Hazard categories: Skin corrosion/irritation: Skin Co Serious eye damage/eye irritati Hazard Statements: Causes severe skin burns and Causes serious eye damage.	on: Eye Dam. 1			
2.2. Label elements				
Regulation (EC) No. 1272/2008				
Hazard components for labelling C9-11 Alkoholethoxylat Quartäres C12-14 alkylmethyla sodium hydroxide; caustic soda				
Signal word: Danger				
Pictograms:				



Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash mit Wasser thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 2 of 11

	protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see Hinweis on this label).
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container to der Entsorgung.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
68439-46-3	C9-11 Alkoholethoxylat			1 - < 5 %	
	Eye Irrit. 2; H319				
1554325-20-0	Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	. 1; H302 H315 H318			
1310-73-2	sodium hydroxide; caustic soda			< 1 %	
	215-185-5				
	Met. Corr. 1, Skin Corr. 1A; H290 H314				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
68439-46-3		C9-11 Alkoholethoxylat	1 - < 5 %	
	inhalation: Data	a lacking (gases); dermal: Data lacking; oral: LD50 = > 2 000 mg/kg		
1554325-20-0		Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid	1 - < 5 %	
	inhalation: Data lacking (gases); dermal: Data lacking; oral: LD50 = > 300 - 2 000 mg/kg			
1310-73-2	215-185-5	sodium hydroxide; caustic soda	< 1 %	
	inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2			

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % cationic surfactants.

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Fettlöser

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
1310-73-2	sodium hydroxide; caustic soda				
Worker DNEL, long-term		inhalation	local	1 mg/m³	
Consumer DNEL, long-term		inhalation	local	1 mg/m³	

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 5 of 11

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid		
Colour: Odour:	yellowish weak		
	weak		
			Test method
Changes in the physical state			
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and boiling range:		100 °C	
Flash point:		not determined	
Flammability			
Solid/liquid:		not applicable	
Gas:		not applicable	
Explosive properties The product is not: Explosive.			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Self-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties Not oxidising.			
pH-Value (at 20 °C):		12-13	DIN 19261
Viscosity / dynamic: (at 25 °C)		20 mPa·s	DIN 51398
Water solubility:		easily soluble	
Solubility in other solvents not determined		-	
Partition coefficient n-octanol/water:		not determined	

according to Regulation (EC) No 1907/2006



FAT CLEAN					
Print date: 18.10.2021					
Revision date: 09.09.2021	Page 6 of 11				
Vapour pressure: (at 20 °C)	23 hPa	DIN 51754			
Density (at 20 °C):	1,05 g/cm³	DIN 51757			
Relative vapour density:	not determined				
9.2. Other information					
Other safety characteristics					
Solid content:	not determined				
Evaporation rate:	not determined				
Further Information					
SECTION 10: Stability and reactivity					
<u>10.1. Reactivity</u> Possibility of hazardous reactions.					

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 7 of 11

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68439-46-3	C9-11 Alkoholethoxylat				
	oral	LD50 > 2 000 mg/kg	Ratte		
	dermal	Data lacking			
	inhalation	Data lacking			
1554325-20- 0	Quartäres C12-14 alkylmethylaminethoxylatmethylchlorid				
	oral	LD50 > 300 - 2 000 mg/kg	Ratte		
	dermal	Data lacking			
	inhalation	Data lacking			
1310-73-2	sodium hydroxide; causti	sodium hydroxide; caustic soda			
	oral	Data lacking			
	dermal	Data lacking			
	inhalation	Data lacking			

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68439-46-3	C9-11 Alkoholethoxylat						
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Oncorhynchus mykiss		OECD Prüfrichtlinie 203
	Acute algae toxicity	ErC50 mg/l	1-10	72 h	Skeletonema costatum		
	Acute crustacea toxicity	EC50 mg/l	1-10	48 h	Daphnia magna		
1554325-20- 0	Quartäres C12-14 alkylm	ethylaminetho	oxylatmethy	lchlorid			
	Acute fish toxicity	LC50 100 mg/l	> 10 -	96 h	Fisch		
	Acute algae toxicity	ErC50 mg/l	> 1 - 10	72 h	Algen		
	Acute crustacea toxicity	EC50 mg/l	> 1 - 10	48 h	Daphnia		
1310-73-2	sodium hydroxide; caustio	c soda					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia dubia		

12.2. Persistence and degradability

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 8 of 11

12.3. Bioaccumulative potential

The product has not been tested.

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
	8

according to Regulation (EC) No 1907/2006



FAT CLEAN				
Print date: 18.10.2021				
Revision date: 09.09.2021	Page 9 of 11			
Classification code:	C5			
Limited quantity: Excepted quantity:	5 L E1			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 1824			
14.2. UN proper shipping name:	NATRIUMHYDROXIDLÖSUNG			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	223			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
<u>14.1. UN number or ID number:</u>	UN 1824			
14.2. UN proper shipping name:	NATRIUMHYDROXIDLÖSUNG			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity: IATA-packing instructions - Passenger:	E1 852			
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.6. Special precautions for user Warning: strongly corrosive.				
14.7. Maritime transport in bulk according to) INO instruments			
not applicable				
SECTION 15: Regulatory information				
	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII): Entry 3				
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)			
(SEVESO III):	· · · · · · · · · · · · · · · · · · ·			

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 10 of 11

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation).

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

according to Regulation (EC) No 1907/2006



FAT CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 11 of 11

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)