

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

GRILL CLEAN

UFI: QHUR-RN8C-S6AW-XU5V

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: ARCORA International GmbH
Street: Marsstraße 9
Place: D-85609 Aschheim
Telephone: +49 (0)89 / 14 33 29 3-0 Telefax: +49 (0)89 / 14 33 29 3-29
e-mail: info@arcora.de

1.4. Emergency telephone number: Giftnotruf der Charité - Universitätsmedizin Berlin -24H- Tel.: 030 30686700

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Kaliumhydroxid (vgl. Ätzkali)
sodium hydroxide; caustic soda
Decyl-D-glucosid
(Fraktionierter Kokos)dimethylaminoxid

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash mit Wasser thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 2 of 12

P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see Hinweis on this label).
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container to gemäß behördlichen Anforderungen der Entsorgung.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
1310-58-3	Kaliumhydroxid (vgl. Ätzkali)			1 - < 5 %
	215-181-3		01-2119487136-33	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A; H290 H302 H314			
1310-73-2	sodium hydroxide; caustic soda			1 - < 5 %
	215-185-5			
	Met. Corr. 1, Skin Corr. 1A; H290 H314			
54549-25-6	Decyl-D-glucosid			1 - < 5 %
	259-218-1		01-2119489418-23	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			
61788-90-7	(Fraktionierter Kokos)dimethylaminoxid			1 - < 5 %
	263-016-9			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H302 H315 H318 H400 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-58-3	215-181-3	Kaliumhydroxid (vgl. Ätzkali)	1 - < 5 %
	oral: LD50 = 273 mg/kg		
1310-73-2	215-185-5	sodium hydroxide; caustic soda	1 - < 5 %
	inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
54549-25-6	259-218-1	Decyl-D-glucosid	1 - < 5 %
	inhalation: Data lacking (gases); dermal: Data lacking; oral: LD50 = > 5 000 mg/kg		
61788-90-7	263-016-9	(Fraktionierter Kokos)dimethylaminoxid	1 - < 5 %
	inhalation: Data lacking (gases); dermal: Data lacking; oral: LD50 = > 2 000 mg/kg		

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 3 of 12

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % amphoteric surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 4 of 12

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 5 of 12

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
DNEL type				
1310-73-2	sodium hydroxide; caustic soda			
Worker DNEL, long-term		inhalation	local	1 mg/m³
Consumer DNEL, long-term		inhalation	local	1 mg/m³
54549-25-6	Decyl-D-glucosid			
Worker DNEL, long-term		inhalation	systemic	420 mg/m³
Worker DNEL, long-term		dermal	systemic	595000 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	124 mg/m³
Consumer DNEL, long-term		dermal	systemic	357000 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	35,7 mg/kg bw/day
61788-90-7	(Fraktionierter Kokos)dimethylaminoxid			
Worker DNEL, long-term		inhalation	systemic	15,5 mg/m³
Worker DNEL, long-term		dermal	systemic	11 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	3,8 mg/m³
Consumer DNEL, long-term		dermal	systemic	5,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,44 mg/kg bw/day

PNEC values

CAS No	Name of agent	Value
Environmental compartment		
54549-25-6	Decyl-D-glucosid	
Freshwater		0,175 mg/l
Marine water		0,018 mg/l
Freshwater sediment		1,516 mg/kg
Marine sediment		0,065 mg/kg
Micro-organisms in sewage treatment plants (STP)		5000 mg/l
Soil		0,654 mg/kg
61788-90-7	(Fraktionierter Kokos)dimethylaminoxid	
Freshwater		0,0335 mg/l
Marine water		0,00335 mg/l
Freshwater sediment		1,14 mg/kg
Marine sediment		0,114 mg/kg
Secondary poisoning		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		24 mg/l
Soil		0,906 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 6 of 12

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	low odour

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	not determined

Flammability

Solid/liquid:	not applicable
Gas:	not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined
Upper explosion limits:	not determined

Self-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

Oxidizing properties

Not oxidising.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 7 of 12

pH-Value (at 20 °C):	13
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1,05 g/cm ³
Relative vapour density:	not determined

9.2. Other information

Other safety characteristics

Solid content:	not determined
Evaporation rate:	not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 8 of 12

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	Kaliumhydroxid (vgl. Ätzkali)				
	oral	LD50 273 mg/kg	Rat	RTECS	
1310-73-2	sodium hydroxide; caustic soda				
	oral	Data lacking			
	dermal	Data lacking			
	inhalation	Data lacking			
54549-25-6	Decyl-D-glucosid				
	oral	LD50 > 5 000 mg/kg	Ratte		OECD Prüfrichtlinie 401
	dermal	Data lacking			
	inhalation	Data lacking			
61788-90-7	(Fraktionierter Kokos)dimethylaminoxid				
	oral	LD50 > 2 000 mg/kg	Ratte		OECD Prüfrichtlinie 401
	dermal	Data lacking			
	inhalation	Data lacking			

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 9 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-58-3	Kaliumhydroxid (vgl. Ätzkali)					
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis	IUCLID
1310-73-2	sodium hydroxide; caustic soda					
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia dubia	
54549-25-6	Decyl-D-glucosid					
	Acute fish toxicity	LC50 mg/l	> 1 - 10	96 h	Danio rerio	OECD Prüfrichtlinie 203
	Acute algae toxicity	ErC50 mg/l	> 1 - 10	72 h	Skeletonema costatum	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1 - 10	48 h	Daphnia magna	OECD- Prüfrichtlinie 202
	Crustacea toxicity	NOEC mg/l	> 1 - 10	21 d	Daphnia magna	OECD- Prüfrichtlinie 202
61788-90-7	(Fraktionierter Kokos)dimethylaminoxid					
	Acute fish toxicity	LC50 mg/l	> 1 - 10	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 mg/l	> 0,1 - 1	72 h	Pseudokirchneriella subcapitata	OECD- Prüfrichtlinie 201
	Acute crustacea toxicity	EC50 mg/l	> 1 - 10	48 h	Daphnia magna	OECD- Prüfrichtlinie 202
	Algae toxicity	NOEC 0,1 mg/l	> 0,01 -	3 d	Pseudokirchneriella subcapitata	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 10 of 12

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 1814

14.2. UN proper shipping name:

POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C5

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 1814

14.2. UN proper shipping name:

POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C5

Limited quantity:

5 L

Excepted quantity:

E1

Marine transport (IMDG)

14.1. UN number or ID number:

UN 1814

14.2. UN proper shipping name:

KALIUMHYDROXIDLÖSUNG

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Special Provisions:

223

Limited quantity:

5 L

Excepted quantity:

E1

EmS:

F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 1814

14.2. UN proper shipping name:

KALIUMHYDROXIDLÖSUNG

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 11 of 12

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

1 L

Passenger LQ:

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:

852

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

856

IATA-max. quantity - Cargo:

60 L

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU
(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1, 15.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

GRILL CLEAN

Print date: 18.10.2021

Revision date: 09.09.2021

Page 12 of 12

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)