

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INPUR

UFI: 0E7X-99R1-3W93-C0N3

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: ARCORA International GmbH
Street: Marsstraße 9
Place: D-85609 Aschheim
Telephone: +49 (0)89 / 14 33 29 3-0 Telefax: +49 (0)89 / 14 33 29 3-29
e-mail: info@arcora.de

1.4. Emergency telephone number: Giftnotruf der Charité - Universitätsmedizin Berlin -24H- Tel.: 030 30686700

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Isotridecanol, ethoxyliert (7-14 EO)

sodium hydroxide; caustic soda

Kaliumhydroxid (vgl. Ätzkali)

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P264 Wash with Water thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of Water.

P321 Specific treatment (see notice on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 2 of 14

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|-------------|---|----------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | | |
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | | | 10 - < 15 % |
| | 203-905-0 | | 01-2119475108-36 | |
| | Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319 | | | |
| 9043-30-5 | Isotridecanol, ethoxyliert (7-14 EO) | | | 1 - < 5 % |
| | | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H318 | | | |
| 15763-76-5 | Natrium-p-cumolsulfonat | | | 1 - < 5 % |
| | | | | |
| | Eye Irrit. 2; H319 | | | |
| 164524-02-1 | Kalium-p-cumolsulfonat | | | 1 - < 5 % |
| | 629-764-9 | | | |
| | Eye Irrit. 2; H319 | | | |
| 1310-73-2 | sodium hydroxide; caustic soda | | | 1 - < 5 % |
| | 215-185-5 | | | |
| | Met. Corr. 1, Skin Corr. 1A; H290 H314 | | | |
| 1310-58-3 | Kaliumhydroxid (vgl. Ätzkali) | | | 1 - < 5 % |
| | 215-181-3 | | 01-2119487136-33 | |
| | Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A; H290 H302 H314 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-------------|-----------|---|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 111-76-2 | 203-905-0 | 2-Butoxy-ethanol (vgl. Butylglykol) | 10 - < 15 % |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1200 mg/kg; oral: LD50 = 1480 mg/kg | |
| 9043-30-5 | | Isotridecanol, ethoxyliert (7-14 EO) | 1 - < 5 % |
| | | dermal: LD50 = >2000 mg/kg; oral: LD50 = 556 mg/kg | |
| 15763-76-5 | | Natrium-p-cumolsulfonat | 1 - < 5 % |
| | | inhalation: Data lacking (gases); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg | |
| 164524-02-1 | 629-764-9 | Kalium-p-cumolsulfonat | 1 - < 5 % |
| | | inhalation: Data lacking (gases); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg | |
| 1310-73-2 | 215-185-5 | sodium hydroxide; caustic soda | 1 - < 5 % |
| | | inhalation: Data lacking (gases); dermal: Data lacking; oral: Data lacking Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 | |
| 1310-58-3 | 215-181-3 | Kaliumhydroxid (vgl. Ätzkali) | 1 - < 5 % |
| | | oral: LD50 = 273 mg/kg | |

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 4 of 14

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 5 of 14

Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|-----------------|-----|-------------------|---------------------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol | 20 | 98 | | TWA (8 h) | |
| | | 50 | 246 | | STEL (15 min) | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 6 of 14

DNEL/DMEL values

| CAS No | Name of agent | | | |
|--------------------------|-------------------------------------|----------------|----------|--------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | | | |
| Consumer DNEL, long-term | | oral | systemic | 6,3 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 26,7 mg/kg bw/day |
| Consumer DNEL, acute | | dermal | systemic | 89 mg/kg bw/day |
| Worker DNEL, acute | | dermal | systemic | 89 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 75 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 125 mg/kg bw/day |
| Consumer DNEL, acute | | inhalation | systemic | 426 mg/m ³ |
| Worker DNEL, acute | | inhalation | systemic | 1091 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | systemic | 59 mg/m ³ |
| Worker DNEL, long-term | | inhalation | systemic | 98 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 246 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 147 mg/m ³ |
| 15763-76-5 | Natrium-p-cumolsulfonat | | | |
| Consumer DNEL, long-term | | oral | systemic | 3,8 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 136,25 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 68,1 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | local | 0,096 mg/cm ² |
| Consumer DNEL, long-term | | dermal | local | 0,048 mg/cm ² |
| Worker DNEL, long-term | | inhalation | systemic | 26,9 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | systemic | 6,6 mg/m ³ |
| 164524-02-1 | Kalium-p-cumolsulfonat | | | |
| Consumer DNEL, long-term | | oral | systemic | 3,8 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 136,25 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 68,1 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | local | 0,096 mg/cm ² |
| Consumer DNEL, long-term | | dermal | local | 0,048 mg/cm ² |
| Worker DNEL, long-term | | inhalation | systemic | 26,9 mg/m ³ |
| 1310-73-2 | sodium hydroxide; caustic soda | | | |
| Worker DNEL, long-term | | inhalation | local | 1 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 1 mg/m ³ |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 7 of 14

PNEC values

| CAS No | Name of agent | |
|--|-------------------------------------|-------------|
| Environmental compartment | | Value |
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | |
| Freshwater | | 8,8 mg/l |
| Freshwater (intermittent releases) | | 9,1 mg/l |
| Marine water | | 0,88 mg/l |
| Freshwater sediment | | 34,6 mg/kg |
| Marine sediment | | 3,46 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 463 mg/l |
| Soil | | 2,33 mg/kg |
| 15763-76-5 | Natrium-p-cumolsulfonat | |
| Freshwater | | 0,23 mg/l |
| Marine water | | 0,023 mg/l |
| Freshwater sediment | | 0,862 mg/kg |
| Marine sediment | | 0,086 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 100 mg/l |
| Soil | | 0,037 mg/l |
| 164524-02-1 | Kalium-p-cumolsulfonat | |
| Freshwater | | 0,23 mg/l |
| Marine water | | 0,023 mg/l |
| Freshwater sediment | | 0,862 mg/kg |
| Marine sediment | | 0,086 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 100 mg/l |
| Soil | | 0,037 mg/kg |

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 8 of 14

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|--------------|
| Physical state: | Liquid |
| Colour: | yellow-green |
| Odour: | Lemon |

Changes in the physical state

| | |
|---|----------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | not determined |
| Flash point: | 100 °C |

Flammability

| | |
|---------------|----------------|
| Solid/liquid: | not applicable |
| Gas: | not applicable |

Explosive properties

The product is not: Explosive.

| | |
|----------------------------|----------------|
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | not determined |

Oxidizing properties

The product is not: oxidising.

| | |
|---|------------------------|
| pH-Value (at 20 °C): | 11,4 |
| Viscosity / kinematic: (at 20 °C) | 1 mm ² /s |
| Water solubility: | easily soluble |
| Solubility in other solvents not determined | |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,05 g/cm ³ |
| Relative vapour density: | not determined |

9.2. Other information

Other safety characteristics

| | |
|-------------------|----------------|
| Solid content: | not determined |
| Evaporation rate: | not determined |

Further Information

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 9 of 14

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 10 of 14

Acute toxicity

| CAS No | Chemical name | | | | |
|-------------|--------------------------------------|-------------------|-----------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | | | | |
| | oral | LD50 1480 mg/kg | Rat | | |
| | dermal | LD50 1200 mg/kg | Kaninchen | | |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation aerosol | ATE 1,5 mg/l | | | |
| 9043-30-5 | Isotridecanol, ethoxyliert (7-14 EO) | | | | |
| | oral | LD50 556 mg/kg | Ratte | | |
| | dermal | LD50 >2000 mg/kg | Kaninchen | | |
| 15763-76-5 | Natrium-p-cumolsulfonat | | | | |
| | oral | LD50 > 2000 mg/kg | Ratte | | |
| | dermal | LD50 > 2000 mg/kg | Kaninchen | | |
| | inhalation | Data lacking | | | |
| 164524-02-1 | Kalium-p-cumolsulfonat | | | | |
| | oral | LD50 > 2000 mg/kg | Ratte | | |
| | dermal | LD50 > 2000 mg/kg | Kaninchen | | |
| | inhalation | Data lacking | | | |
| 1310-73-2 | sodium hydroxide; caustic soda | | | | |
| | oral | Data lacking | | | |
| | dermal | Data lacking | | | |
| | inhalation | Data lacking | | | |
| 1310-58-3 | Kaliumhydroxid (vgl. Ätzkali) | | | | |
| | oral | LD50 273 mg/kg | Rat | RTECS | |

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 11 of 14

| CAS No | Chemical name | | | | | |
|-------------|--------------------------------------|------------------|-----------|-------------------------|--------|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | | | | | |
| | Acute fish toxicity | LC50 1474 mg/l | 96 h | RegenbogenForelle | | |
| | Acute crustacea toxicity | EC50 1550 mg/l | 48 h | Wasserfloh | | |
| | Fish toxicity | NOEC >100 mg/l | 21 d | Zebrabärbling | | |
| 9043-30-5 | Isotridecanol, ethoxyliert (7-14 EO) | | | | | |
| | Acute fish toxicity | LC50 >1-10 mg/l | 96 h | Cyprinus carpio | | |
| | Acute algae toxicity | ErC50 >1-10 mg/l | 72 h | Desmodesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 >1-10 mg/l | 48 h | Daphnia magna | | |
| 15763-76-5 | Natrium-p-cumolsulfonat | | | | | |
| | Acute fish toxicity | LC50 > 100 mg/l | 96 h | Oncorhynchus mykiss) | | |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h | Desmodesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 > 100 mg/l | 48 h | Daphnia magna | | |
| 164524-02-1 | Kalium-p-cumolsulfonat | | | | | |
| | Acute fish toxicity | LC50 > 100 mg/l | 96 h | Cyprinus carpio) | | |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h | Desmodesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 > 100 mg/l | 48 h | Daphnia magna | | |
| | Acute bacteria toxicity | (> 100 mg/l) | 3 h | Belebtschlamm | | OECD 209 |
| 1310-73-2 | sodium hydroxide; caustic soda | | | | | |
| | Acute crustacea toxicity | EC50 40,4 mg/l | 48 h | Ceriodaphnia dubia | | |
| 1310-58-3 | Kaliumhydroxid (vgl. Ätzkali) | | | | | |
| | Acute fish toxicity | LC50 80 mg/l | 96 h | Gambusia affinis | IUCLID | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-------------------------------------|-------------|
| 111-76-2 | 2-Butoxy-ethanol (vgl. Butylglykol) | 0,81 (25°C) |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 12 of 14

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 13 of 14

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 13 % (136,5 g/l)

2004/42/EC (VOC): 13 % (136,5 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation).

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,6,7,9,10,11,14,15,16.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

INPUR

Print date: 04.03.2022

Revision date: 04.03.2022

Page 14 of 14

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)